

Зажимные шайбы с отверстиями

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59


Киргизия +996(312)96-26-47

эл.почта: swq@nt-rt.ru || сайт: <https://srw-amestra.nt-rt.ru/>

Zylindrische Zentrieraufnahme – Type POZ

Recess mounting – Type POZ

Montage centrage cylindrique – Type POZ



Lieferung ohne Bohrungen

delivered without holes

livrés sans trous

Bestell-Nummer Order number Numéro de commande	Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques									Gewicht Weight Poids
POZ	Ø		inch	B	C	D	E	F	G	O	P	W	kg
	mm	inch											
457-774	250	10	-	38	60	85	5	104,78	10,5	28	28	140	10,4
457-775	315	12 ½	-	40	60	110	7	133,35	12,7	30	30	165	17,5
457-776	350	14	-	60	75	110	7	133,35	12,7	45	22	165	22
457-777	400	15 ¾	-	60	75	140	7	171,46	16,8	45	22	215	33
457-778	450	18	-	65	100	140	7	171,46	16,8	50	25	215	38
457-779	500	20	-	65	100	140	7	171,46	16,8	50	25	215	60
457-780	600	24	-	70	100	200	10	234,96	21,5	55	30	300	105
457-781	700	28	-	75	100	200	10	234,96	21,5	60	35	300	137
457-782	800	31 ½	-	75	130	200	10	234,96	21,5	60	35	300	180
457-783	900	35 ½	-	80	130	200	10	234,96	21,5	70	35	300	208
457-784	1000	39 ½	-	80	130	200	10	234,96	21,5	75	40	300	298
457-785	1100	43 ½	-	90	190	300	15	330,21	26	80	40	420	380
457-786	1200	47	-	90	190	300	15	330,21	26	80	40	420	440
457-787	1300	51	-	90	190	300	15	330,21	26	80	40	420	510
457-788	1400	55	-	90	190	300	15	330,21	26	80	40	420	580
457-789	1500	59	-	120	190	300	15	330,21	26	105	80	450	1050
457-790	1600	63	-	130	260	420	15	463,6	26	120	60	520	1050
457-791	1800	71	-	130	260	420	15	463,6	26	120	60	520	1300
457-792	2000	79	-	130	260	420	15	463,6	26	120	60	520	1600

Kurzkegel-Aufnahme

Type POA Befestigung von vorne **DIN 55026**

Type POC Camlock **DIN 55029**

Type POD Bajonett **DIN 55027**

Short taper mounting

Type POA from the front **DIN 55026**

Type POC Camlock **DIN 55029**


Type POD Bayonette **DIN 55027**

Montage sur cône court

Type POA Fixation par l'avant **DIN 55026**

Type POC Fixation Camlock **DIN 55029**

Type POD Fixation Baïonnette **DIN 55027**



Bestell-Nummer Order number Numéro de commande			Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques										Gewicht Weight Poids
POA	POC	POD	Ø		inch	B	C	D	E	55026	55027	55029	O	P	W	kg
			mm	inch						F	F	F				
457-001	457-034	457-067	250	10	3	38	50	53,97	12	-	75	70,66	28	28	140	10,4
457-002	457-035	457-068	250	10	4	38	60	63,51	12	82,55	85	82,55	28	28	140	10,4
457-003	457-036	457-069	250	10	5	38	60	82,56	16	104,78	104,78	104,78	28	28	140	10,4
457-004	457-037	457-070	250	10	6	38	100	106,38	18	133,36	133,36	133,36	28	28	165	9,6
457-005	457-038	457-071	315	12 ½	4	40	60	63,51	12	82,55	85	82,55	30	30	165	17,5
457-006	457-039	457-072	315	12 ½	5	40	60	82,56	16	104,78	104,78	104,78	30	30	165	17,5
457-007	457-040	457-073	315	12 ½	6	40	100	106,38	18	133,36	133,36	133,36	30	30	165	16,5
457-008	457-041	457-074	350	14	4	60	60	63,51	12	82,55	85	82,55	45	22	165	22
457-009	457-042	457-075	350	14	5	60	75	82,56	16	104,78	104,78	104,78	45	22	165	22
457-010	457-043	457-076	350	14	6	60	75	106,38	18	133,36	133,36	133,36	45	22	165	22
457-011	457-044	457-077	400	15 ¾	6	60	100	106,38	18	133,36	133,36	133,36	45	22	215	33
457-012	457-045	457-078	400	15 ¾	8	60	100	139,73	19	171,46	171,46	171,46	45	22	215	33
457-013	457-046	457-079	450	18	6	65	100	106,38	18	133,36	133,36	133,36	50	25	215	38
457-014	457-047	457-080	450	18	8	65	100	139,73	19	171,46	171,46	171,46	50	25	215	38
457-015	457-048	457-081	500	20	6	65	100	106,38	18	133,36	133,36	133,36	50	25	215	60
457-016	457-049	457-082	500	20	8	65	100	139,73	19	171,46	171,46	171,46	50	25	215	60
457-017	457-050	457-083	500	20	11	65	100	196,88	21	234,96	234,96	234,96	50	25	300	65

Lieferung ohne Bohrungen

delivered without holes

livrés sans trous

Kurzkegel-Aufnahme

Type POA Befestigung von vorne **DIN 55026**

Type POC Camlock **DIN 55029**

Type POD Bajonett **DIN 55027**

Short taper mounting

Type POA from the front **DIN 55026**

Type POC Camlock **DIN 55029**



Type POD Bayonette **DIN 55027**

Montage sur cône court

Type POA Fixation par l'avant **DIN 55026**

Type POC Fixation Camlock **DIN 55029**

Type POD Fixation Baïonnette **DIN 55027**



Bestell-Nummer Order number Numéro de commande			Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques										Gewicht Weight Poids
										55026	55027	55029				
POA	POC	POD	Ø		inch	B	C	D	E	F	F	F	O	P	W	kg
			mm	inch												
457-018	457-051	457-084	600	24	6	70	100	106,38	18	133,36	133,36	133,36	55	30	300	105
457-019	457-052	457-085	600	24	8	70	100	139,73	19	171,46	171,46	171,46	55	30	300	105
457-020	457-053	457-086	600	24	11	70	100	196,88	21	234,96	234,96	234,96	55	30	300	105
457-021	457-054	457-087	700	28	6	75	100	106,38	18	133,36	133,36	133,36	60	35	300	137
457-022	457-055	457-088	700	28	8	75	100	139,73	19	171,46	171,46	171,46	60	35	300	153
457-023	457-056	457-089	700	28	11	75	100	196,88	21	234,96	234,96	234,96	60	35	300	153
457-024	457-057	457-090	800	31 ½	8	75	130	139,73	19	171,46	171,46	171,46	60	35	300	180
457-025	457-058	457-091	800	31 ½	11	75	130	196,88	21	234,96	234,96	234,96	60	35	300	180
457-026	457-059	457-092	800	31 ½	15	75	130	285,79	22	330,21	330,21	330,21	60	35	400	190
457-027	457-060	457-093	900	35 ½	8	80	130	139,73	19	171,46	171,46	171,46	70	35	300	208
457-028	457-061	457-094	900	35 ½	11	80	130	196,88	21	234,96	234,96	234,96	70	35	300	208
457-029	457-062	457-095	900	35 ½	15	80	130	285,79	22	330,21	330,21	330,21	70	35	400	218
457-030	457-063	457-096	1000	39 3/8	8	80	130	139,73	19	171,46	171,46	171,46	75	40	300	298
457-031	457-064	457-097	1000	39 3/8	11	80	130	196,88	21	234,96	234,96	234,96	75	40	300	298
457-032	457-065	457-098	1000	39 3/8	15	80	130	285,79	22	330,21	330,21	330,21	75	40	400	310
457-033	457-066	457-099	1000	39 3/8	20	80	130	412,78	24	463,60	463,60	463,60	75	40	520	330

Lieferung ohne Bohrungen

delivered without holes

livrés sans trous

Kurzkegel-Aufnahme

Type POA Befestigung von vorne **DIN 55026**

Type POC Camlock **DIN 55029**

Type POD Bajonett **DIN 55027**

Short taper mounting

Type POA from the front **DIN 55026**

Type POC Camlock **DIN 55029**


Type POD Bayonette **DIN 55027**

Montage sur cône court

Type POA Fixation par l'avant **DIN 55026**

Type POC Fixation Camlock **DIN 55029**

Type POD Fixation Baïonnette **DIN 55027**



Bestell-Nummer Order number Numéro de commande			Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques										Gewicht Weight Poids
POA	POC	POD	Ø		inch	B	C	D	E	55026	55027	55029	O	P	W	kg
			mm	inch						F	F	F				
457-100	457-115	457-130	1100	43 ½	11	90	190	196,88	21	234,96	234,96	234,96	80	40	420	380
457-101	457-116	457-131	1100	43 ½	15	90	190	285,79	22	330,21	330,21	330,21	80	40	420	380
457-102	457-117	457-132	1100	43 ½	20	90	190	412,78	24	463,6	463,6	463,6	80	40	520	400
457-103	457-118	457-133	1200	47	11	90	190	196,88	21	234,96	234,96	234,96	80	40	420	440
457-104	457-119	457-134	1200	47	15	90	190	285,79	22	330,21	330,21	330,21	80	40	420	440
457-105	457-120	457-135	1200	47	20	90	190	412,78	24	463,6	463,6	463,6	80	40	520	460
457-106	457-121	457-136	1300	51	11	90	190	196,88	21	234,96	234,96	234,96	80	40	420	510
457-107	457-122	457-137	1300	51	15	90	190	285,79	22	330,21	330,21	330,21	80	40	420	510
457-108	457-123	457-138	1300	51	20	90	190	412,78	24	463,6	463,6	463,6	80	40	520	530
457-109	457-124	457-139	1400	55	11	90	190	196,88	21	234,96	234,96	234,96	80	40	420	580
457-110	457-125	457-140	1400	55	15	90	190	285,79	22	330,21	330,21	330,21	80	40	420	580
457-111	457-126	457-141	1400	55	20	90	190	412,78	24	463,6	463,6	463,6	80	40	520	600
457-112	457-127	457-142	1500	59	11	120	190	196,88	21	234,96	234,96	234,96	105	80	450	1050
457-113	457-128	457-143	1500	59	15	120	190	285,79	22	330,21	330,21	330,21	105	80	450	1050
457-114	457-129	457-144	1500	59	20	120	190	412,78	24	463,6	463,6	463,6	105	80	520	1050

Lieferung ohne Bohrungen

delivered without holes

livrés sans trous

Kurzkegel-Aufnahme

Type POA Befestigung von vorne **DIN 55026**

Type POC Camlock **DIN 55029**

Type POD Bajonett **DIN 55027**

Short taper mounting

Type POA from the front **DIN 55026**

Type POC Camlock **DIN 55029**


Type POD Bayonette DIN 55027

Montage sur cône court

Type POA Fixation par l'avant **DIN 55026**

Type POC Fixation Camlock **DIN 55029**

Type POD Fixation Baïonnette **DIN 55027**

[illegible]

Lieferung ohne Bohrungen


delivered without holes

livrés sans trous

Aufnahme für CAZENEUVE Spindel

Mounting on CAZENEUVE Spindle

Montage sur broche CAZENEUVE



Ø 600 - Ø 700

[illegible]

Lieferung ohne Bohrungen

delivered without holes

livrés sans trous

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: swq@nt-rt.ru || сайт: <https://srw-amestra.nt-rt.ru/>