

Зажимные шайбы с простыми Т-образными пазами

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59



Киргизия +996(312)96-26-47

эл.почта: swq@nt-rt.ru || сайт: <https://srw-amestra.nt-rt.ru/>

Type FPTSZ Gusskörper, zylindrische Zentrier-Aufnahme
Type APTSZ Stahlkörper, zylindrische Zentrier-Aufnahme

Type FPTSZ cast iron body, recess mounting
Type APTSZ steel body, recess mounting

Type FPTSZ corps fonte, montage sur centrage cylindrique
Type APTSZ corps acier, montage sur centrage cylindrique



Bestell-Nummer Order number Numéro de commande		Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques										Gewicht Weight Poids	
FPTSZ	APTSZ	Ø		inch	B	C	D	E	F	G	O	P	Té	W	FPTSZ	APTSZ
		mm	inch													
-	457-756	250	10		50	60	85	5	104,78	10,5	-	-	18/30	140	-	18
-	457-757	315	12		50	60	110	7	133,36	12,7	-	-	18/30	165	-	29
-	457-758	350	14		60	75	110	7	133,36	12,7	-	-	18/30	165	-	43
-	457-759	400	15 ¾		60	75	140	7	171,46	16,8	-	-	18/30	215	-	57
-	457-760	450	18		65	100	140	7	171,46	16,8	-	-	18/30	215	-	76
-	457-761	500	20		65	100	140	7	171,46	16,8	-	-	18/30	215	-	95
457-744	457-762	600	24		70	100	200	10	234,96	21,5	55	30	22/38	300	105	150
457-745	457-763	700	28		75	100	200	10	234,96	21,5	60	35	22/38	300	137	220
457-746	457-764	800	31 ½		75	130	200	10	234,96	21,5	60	35	22/38	300	180	285
457-747	457-765	900	35 ½		80	130	200	10	234,96	21,5	70	35	22/38	300	208	390
457-748	457-766	1000	39 ½		80	130	200	10	234,96	21,5	75	40	22/38	300	298	480
457-749	457-767	1100	43 ½		90	190	300	15	330,21	26	80	40	22/38	420	380	645
457-795	457-796	1200	47		90	190	300	15	330,21	26	80	40	22/38	420	440	775
457-750	457-768	1300	51		90	190	300	15	330,21	26	80	40	22/38	420	510	910
457-751	457-769	1400	55		90	190	300	15	330,21	26	80	40	22/38	420	580	1060
457-752	457-770	1500	59		120	190	300	15	330,21	26	105	80	22/38	450	1050	1490
457-753	457-771	1600	63		130	260	420	15	463,60	26	120	60	28/46	520	1050	1910
457-754	457-772	1800	71		130	260	420	15	463,60	26	120	60	28/46	520	1300	2430
457-755	457-773	2000	79		130	260	420	15	463,60	26	120	60	28/46	520	1600	3010

Lieferung ohne Bohrungen


delivered without holes

livrés sans trous


Type APTSA Stahlkörper, Befestigung von vorne **DIN 55026**
Type APTSD Stahlkörper, Bajonett **DIN 55027**
Type APTSC Stahlkörper, Camlock **DIN 55029**

Type APTSA Steel body, from the front **DIN 55026**
Type APTSD Steel body, Bayonette **DIN 55027**
Type APTSC Steel body, Camlock **DIN 55029**


Type APTSA corps acier, fixation par l'avant **DIN 55026**
Type APTSD corps acier, montage baïonnette **DIN 55027**
Type APTSC corps acier, montage Camlock **DIN 55029**



DIN 55026



DIN 55029



Lieferung ohne Bohrungen

delivered without holes




livrés sans trous

Bestell-Nummer Order number Numéro de commande			Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques									Gewicht Weight Poids
APTSA	APTSD	APTSC	Ø		inch	B	C	D	E	55026	55027	55029	Té	W	kg
			mm	inch						F	F	F			
457-573	457-630	457-687	250	10	3	38	50	53,97	12	-	75	70,66	18/30	140	18
457-574	457-631	457-688	250	10	4	38	60	63,51	12	82,55	85	82,55	18/30	140	18
457-575	457-632	457-689	250	10	5	38	60	82,56	16	104,78	104,78	104,78	18/30	140	18
457-576	457-633	457-690	250	10	6	38	100	106,38	18	133,36	133,36	133,36	18/30	165	18
457-577	457-634	457-691	315	12	4	40	60	63,51	12	82,55	85	82,55	18/30	165	29
457-578	457-635	457-692	315	12	5	40	60	82,56	16	104,78	104,78	104,78	18/30	165	29
457-579	457-636	457-693	315	12	6	40	100	106,38	18	133,36	133,36	133,36	18/30	165	29
457-580	457-637	457-694	350	14	4	60	60	63,51	12	82,55	85	82,55	18/30	165	43
457-581	457-638	457-695	350	14	5	60	75	82,56	16	104,78	104,78	104,78	18/30	165	43
457-582	457-639	457-696	350	14	6	60	75	106,38	18	133,36	133,36	133,36	18/30	165	43
457-583	457-640	457-697	400	16	6	60	100	106,38	18	133,36	133,36	133,36	18/30	215	57
457-584	457-641	457-698	400	16	8	60	100	139,73	19	171,46	171,46	171,46	18/30	215	57
457-585	457-642	457-699	450	18	6	65	100	106,38	18	133,36	133,36	133,36	18/30	215	76
457-586	457-643	457-700	450	18	8	65	100	139,73	19	171,46	171,46	171,46	18/30	215	76
457-587	457-644	457-701	500	20	6	65	100	106,38	18	133,36	133,36	133,36	18/30	215	95
457-588	457-645	457-702	500	20	8	65	100	139,73	19	171,46	171,46	171,46	18/30	215	95
457-589	457-646	457-703	500	20	11	65	100	196,88	21	234,96	234,96	234,96	18/30	300	95


Type FPTSA Gußkörper, Befestigung von vorne **DIN 55026**
Type APTSA Stahlkörper, Befestigung von vorne **DIN 55026**
Type FPTSD Gußkörper, Bajonett **DIN 55027**
Type APTSD Stahlkörper, Bajonett **DIN 55027**
Type FPTSC Gußkörper, Camlock **DIN 55029**
Type APTSC Stahlkörper, Camlock **DIN 55029**

Type FPTSA Cast iron body, from the front **DIN 55026**
Type APTSA Steel body, from the front **DIN 55026**
Type FPTSD Cast iron body, Bayonette **DIN 55027**
Type APTSD Steel body, Bayonette **DIN 55027**
Type FPTSC Cast iron body, Camlock **DIN 55029**
Type APTSC Steel body, Camlock **DIN 55029**

Type FPTSA corps fonte, fixation par l'avant **DIN 55026**
Type APTSA corps acier, fixation par l'avant **DIN 55026**
Type FPTSD corps fonte, montage baïonnette **DIN 55027**
Type APTSD corps acier, montage baïonnette **DIN 55027**
Type FPTSC corps fonte, montage Camlock **DIN 55029**
Type APTSC corps acier, montage Camlock **DIN 55029**



DIN 55026



DIN 55027 - DIN 55029




Lieferung ohne Bohrungen - delivered without holes - livrés sans trous

Bestell-Nummer Order number Numéro de commande						Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques												Gewicht Weight Poids	
													55026	55027	55029							
FPTSA	FPTSD	FPTSC	APTSA	APTSD	APTSC	Ø		inch	B	C	D	E	F	F	F	O	P	Té	W	FPTSA FPTSD FPTSC	APTSA APTSD APTSC	
						mm	inch															
457-419	457-476	457-533	457-590	457-647	457-704	600	24	6	70	100	106,38	16	133,36	133,36	133,36	55	30	22/38	300	105	150	
457-420	457-477	457-534	457-591	457-648	457-705	600	24	8	70	100	139,73	18	171,46	171,46	171,46	55	30	22/38	300	105	150	
457-421	457-478	457-535	457-592	457-649	457-706	600	24	11	70	100	196,88	20	234,96	234,96	234,96	55	30	22/38	300	105	150	
457-422	457-479	457-536	457-593	457-650	457-707	700	28	6	75	100	106,38	16	133,36	133,36	133,36	60	35	22/38	300	137	220	
457-423	457-480	457-537	457-594	457-651	457-708	700	28	8	75	100	139,73	18	171,46	171,46	171,46	60	35	22/38	300	137	220	
457-424	457-481	457-538	457-595	457-652	457-709	700	28	11	75	100	196,88	20	234,96	234,96	234,96	60	35	22/38	300	137	220	
457-425	457-482	457-539	457-596	457-653	457-710	800	31 ½	8	75	130	139,73	18	171,46	171,46	171,46	60	35	22/38	300	180	285	
457-426	457-483	457-540	457-597	457-654	457-711	800	31 ½	11	75	130	196,88	20	234,96	234,96	234,96	60	35	22/38	300	180	285	
457-427	457-484	457-541	457-598	457-655	457-712	800	31 ½	15	75	130	285,79	21	330,21	330,21	330,21	60	35	22/38	400	190	285	
457-428	457-485	457-542	457-599	457-656	457-713	900	35 ½	8	80	130	139,73	18	171,46	171,46	171,46	70	35	22/38	300	208	390	
457-429	457-486	457-543	457-600	457-657	457-714	900	35 ½	11	80	130	196,88	20	234,96	234,96	234,96	70	35	22/38	300	208	390	
457-430	457-487	457-544	457-601	457-658	457-715	900	35 ½	15	80	130	285,79	21	330,21	330,21	330,21	70	35	22/38	400	218	390	
457-431	457-488	457-545	457-602	457-659	457-716	1000	39 ½	8	80	130	139,73	18	171,46	171,46	171,46	75	40	22/38	300	298	480	
457-432	457-489	457-546	457-603	457-660	457-717	1000	39 ½	11	80	130	196,88	20	234,96	234,96	234,96	75	40	22/38	300	298	480	
457-433	457-490	457-547	457-604	457-661	457-718	1000	39 ½	15	80	130	285,79	21	330,21	330,21	330,21	75	40	22/38	400	310	480	
-	-	-	457-605	457-662	457-719	1000	39 ½	20	80	130	412,78	23	463,60	463,60	463,60	75	40	22/38	520	330	480	


Type FPTSA Gußkörper, Befestigung von vorne **DIN 55026**
Type APTSA Stahlkörper, Befestigung von vorne **DIN 55026**
Type FPTSD Gußkörper, Bajonett **DIN 55027**
Type APTSD Stahlkörper, Bajonett **DIN 55027**
Type FPTSC Gußkörper, Camlock **DIN 55029**
Type APTSC Stahlkörper, Camlock **DIN 55029**

Type FPTSA Cast iron body, from the front **DIN 55026**
Type APTSA Steel body, from the front **DIN 55026**
Type FPTSD Cast iron body, Bayonette **DIN 55027**
Type APTSD Steel body, Bayonette **DIN 55027**
Type FPTSC Cast iron body, Camlock **DIN 55029**
Type APTSC Steel body, Camlock **DIN 55029**

Type FPTSA corps fonte, fixation par l'avant **DIN 55026**
Type APTSA corps acier, fixation par l'avant **DIN 55026**
Type FPTSD corps fonte, montage baïonnette **DIN 55027**
Type APTSD corps acier, montage baïonnette **DIN 55027**
Type FPTSC corps fonte, montage Camlock **DIN 55029**
Type APTSC corps acier, montage Camlock **DIN 55029**



DIN 55026



DIN 55027 - DIN 55029




Lieferung ohne Bohrungen - delivered without holes - livrés sans trous

Bestell-Nummer Order number Numéro de commande						Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques														Gewicht Weight Poids	
FPTSA	FPTSD	FPTSC	APTSA	APTSD	APTSC	Ø		inch	B	C	D	E	F	F	F	O	P	Té	W	FPTSA FPTSD FPTSC	APTSA APTSD APTSC			
						mm	inch																	
457-435	457-492	457-549	457-606	457-663	457-720	1100	43 ½	11	90	190	196,88	20	234,96	234,96	234,96	80	40	22/38	420	380	645			
457-436	457-493	457-550	457-607	457-664	457-721	1100	43 ½	15	90	190	285,79	21	330,21	330,21	330,21	80	40	22/38	420	380	645			
-	-	-	457-608	457-665	457-722	1100	43 ½	20	90	190	412,78	23	463,6	463,6	463,6	80	40	22/38	520	400	645			
457-438	457-495	457-552	457-609	457-666	457-723	1200	47	11	90	190	196,88	20	234,96	234,96	234,96	80	40	22/38	420	440	775			
457-439	457-496	457-553	457-610	457-667	457-724	1200	47	15	90	190	285,79	21	330,21	330,21	330,21	80	40	22/38	420	440	775			
-	-	-	457-611	457-668	457-725	1200	47	20	90	190	412,78	23	463,6	463,6	463,6	80	40	22/38	520	460	775			
457-441	457-498	457-555	457-612	457-669	457-726	1300	51	11	90	190	196,88	20	234,96	234,96	234,96	80	40	22/38	420	510	910			
457-442	457-499	457-556	457-613	457-670	457-727	1300	51	15	90	190	285,79	21	330,21	330,21	330,21	80	40	22/38	420	510	910			
-	-	-	457-614	457-671	457-728	1300	51	20	90	190	412,78	23	463,6	463,6	463,6	80	40	22/38	520	530	910			
457-444	457-501	457-558	457-615	457-672	457-729	1400	55	11	90	190	196,88	20	234,96	234,96	234,96	80	40	22/38	420	580	1060			
457-445	457-502	457-559	457-616	457-673	457-730	1400	55	15	90	190	285,79	21	330,21	330,21	330,21	80	40	22/38	420	580	1060			
-	-	-	457-617	457-674	457-731	1400	55	20	90	190	412,78	23	463,6	463,6	463,6	80	40	22/38	520	600	1060			
457-447	457-504	457-561	457-618	457-675	457-732	1500	59	11	120	190	196,88	20	234,96	234,96	234,96	105	80	22/38	450	1050	1490			
457-448	457-505	457-562	457-619	457-676	457-733	1500	59	15	120	190	285,79	21	330,21	330,21	330,21	105	80	22/38	450	1050	1490			
-	-	-	457-620	457-677	457-734	1500	59	20	120	190	412,78	23	463,60	463,60	463,60	105	80	22/38	520	1050	1490			


Type FPTSA Gußkörper, Befestigung von vorne **DIN 55026**
Type APTSA Stahlkörper, Befestigung von vorne **DIN 55026**
Type FPTSD Gußkörper, Bajonett **DIN 55027**
Type APTSD Stahlkörper, Bajonett **DIN 55027**
Type FPTSC Gußkörper, Camlock **DIN 55029**
Type APTSC Stahlkörper, Camlock **DIN 55029**

Type FPTSA Cast iron body, from the front **DIN 55026**
Type APTSA Steel body, from the front **DIN 55026**
Type FPTSD Cast iron body, Bayonette **DIN 55027**
Type APTSD Steel body, Bayonette **DIN 55027**
Type FPTSC Cast iron body, Camlock **DIN 55029**
Type APTSC Steel body, Camlock **DIN 55029**

Type FPTSA corps fonte, fixation par l'avant **DIN 55026**
Type APTSA corps acier, fixation par l'avant **DIN 55026**
Type FPTSD corps fonte, montage baïonnette **DIN 55027**
Type APTSD corps acier, montage baïonnette **DIN 55027**
Type FPTSC corps fonte, montage Camlock **DIN 55029**
Type APTSC corps acier, montage Camlock **DIN 55029**



DIN 55026



DIN 55027 - DIN 55029

Lieferung ohne Bohrungen - delivered without holes - livrés sans trous

Bestell-Nummer Order number Numéro de commande						Scheibe Plate Plateau		Kegel Taper Cône	Technische Daten - Technical data - Données techniques														Gewicht Weight Poids	
FPTSA	FPTSD	FPTSC	APTSA	APTSD	APTSC	Ø		inch	B	C	D	E	F	F	F	O	P	Té	W	FPTSA FPTSD FPTSC	AP TSA APTSD APTSC			
						mm	inch																	
457-450	457-507	457-564	457-621	457-678	457-735	1600	63	11	130	190	196,88	21	234,96	234,96	234,96	120	60	28/46	520	1050	1910			
457-451	457-508	457-565	457-622	457-679	457-736	1600	63	15	130	260	285,79	22	330,21	330,21	330,21	120	60	28/46	520	1050	1910			
457-452	457-509	457-566	457-623	457-680	457-737	1600	63	20	130	260	412,78	23	463,6	463,6	463,6	120	60	28/46	520	1050	1910			
457-453	457-510	457-567	457-624	457-681	457-738	1800	71	11	130	190	196,88	21	234,96	234,96	234,96	120	60	28/46	520	1300	2430			
457-454	457-511	457-568	457-625	457-682	457-739	1800	71	15	130	260	285,79	22	330,21	330,21	330,21	120	60	28/46	520	1300	2430			
457-455	457-512	457-569	457-626	457-683	457-740	1800	71	20	130	260	412,78	23	463,6	463,6	463,6	120	60	28/46	520	1300	2430			
457-456	457-513	457-570	457-627	457-684	457-741	2000	79	11	130	190	196,88	21	234,96	234,96	234,96	120	60	28/46	520	1600	3010			
457-457	457-514	457-571	457-628	457-685	457-742	2000	79	15	130	260	285,79	22	330,21	330,21	330,21	120	60	28/46	520	1600	3010			
457-458	457-515	457-572	457-629	457-686	457-743	2000	79	20	130	260	412,78	23	463,60	463,60	463,60	120	60	28/46	520	1600	3010			

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: swq@nt-rt.ru || сайт: <https://srw-amestra.nt-rt.ru/>